

IBM ThinkPad 600X Notebooks

Highlights



Pentium III goes mobile

IBM ThinkPad® 600X notebooks feature the latest Mobile Pentium® III processor at up to 650MHz¹ with Intel® SpeedStep™ technology (models 5FU/9FU only), as well as the 100MHz processor system bus for fast access to memory and graphics. With the Mobile Pentium III processor, you'll combine Pentium III performance with the power of the Internet for the ultimate e-business capabilities wherever you go. Plus, new ThinkPad 600X notebooks (models 5FU/9FU only) also feature Intel SpeedStep technology, which provides separate battery and AC power processor performance modes to optimize your notebook's performance on the road or at your desk.

v! Superb technology and performance

The ThinkPad 600X also includes a hard disk drive as large as 12GB², expandable memory up to 576MB and enhanced graphics. Its modular UltraslimBay can support a standard or optional DVD or CD-ROM drive, SuperDisk drive, optional second battery and more.

Robust connectivity and manageability

With an integrated 56K³ V90 Mini-PCI modem and IBM's Universal Manageability—a comprehensive set of standards-based PC hardware and software manageability tools—the ThinkPad 600X notebook offers robust connectivity and manageability for the mobile professional.

With the ThinkPad 600X notebook's beautifully crafted, lightweight design, IBM integrates some of the finest mobile technology features, including the latest Intel Mobile Pentium III processor, bright 13" display, integrated 56K V.90 Mini-PCI modem and a modular UltraslimBay to accommodate a wide range of options. All within an innovative UltraCarbon™ casing that minimizes weight and size. At about 5 lb⁴ and with an approximate 1.4"5 profile, the ThinkPad 600X slips easily under your arm or into your briefcase. For the most demanding mobile professionals, the ThinkPad 600X delivers the ultimate in flexibility and connectivity at a competitive price.









Features and benefits

Simple convenience

- Full-size 85-key keyboard with palm rest
- Enhanced TrackPoint® with "Press-to-Select" option
- Power management on-screen
- Access ThinkPad —helps you set up and learn about your ThinkPad notebook for optimal mobile performance

Compatible operating systems⁶

 Windows® 2000*, Windows 98, Windows 95, Windows 3.11, Windows NT® WorkStation 4.0, OS/2® Warp V4 Upgrade Program for Windows NT to Windows 2000 Professional. Visit www. ibm.com/pc/ww/software/windows 2000/ upgrade.html.

Reducing Total Cost of Ownership/Universal Manageability

IBM's Universal Manageability tools help streamline PC systems management tasks in the enterprise. These standards-based client PC tools are included in ThinkPad notebooks, or are available from the Web, helping you reduce the Total

- Cost of Ownership, including
- Common Information Model (CIM) compliant and designed to Wired for Management (WfM) guidelines
- Local and remote asset management via IBM UM Services,™ which natively integrates into leading management applications
- Remote setup and low-level maintenance via IBM LANClient Control Manager™

Visit www.ibm.com/pc/us/software/ systmgmt for more information.

-151	N:			
Model 2645-	5FU/9 <i>FU</i>	5EU/9 <i>EU</i>	4EU/8 <i>EU/8PU</i>	3EU/ <i>7EU</i>
Intel Pentium Processor	650MHz ¹ Mobile Pentium III Intel SpeedStep technology	500MHz Mobile Pentium III	500MHz Mobile Pentium III	450MHz Mobile Pentium II
Level 2 cache	256KB	256KB	256KB	256KB
	(at processor speed)	(at processor speed)	(at processor speed)	(at processor speed)
Display	13.3" TFT	13.3" TFT	13.3" TFT	13.3" TFT
Max resolution/colors	1024x768/16M	1024x768/16M	1024x768/16M	1024x768/16M
Memory (std/max)	64MB/576MB	64MB/576MB	64MB/576MB	64MB/576MB
100MHz processor system bus	yes	yes	yes	yes
S.M.A.R.T. ⁷ Hard disk drive	12GB ²	12GB	12GB	6GB
Diskette drive	external	external	external	external
DVD/CD-ROM drive	6X-2X ⁸ DVD-ROM drive/ 24X-10X ⁸ CD-ROM drive	6X-2X DVD-ROM drive	24X-10X CD-ROM drive	24X-10X CD-ROM drive
Multimedia features	3D Sound w/FM synthesis, S	oh256ZX™ 256-bit graphics a cound Blaster® Pro support, in/ ported MPEG-1 playback; Mult	out jacks for external microph	none, speakers and
Multimedia features Composite video-out (NTSC/PAL) port	3D Sound w/FM synthesis, S	ound Blaster® Pro support, in/	out jacks for external microph	none, speakers and
Composite video-out	3D Sound w/FM synthesis, S headphones; software-supp	ound Blaster® Pro support, in/ ported MPEG-1 playback; Mult	out jacks for external microphiple Monitor support ⁹	, ,
Composite video-out (NTSC/PAL) port Modem	3D Sound w/FM synthesis, S headphones; software-supp yes	iound Blaster® Pro support, in/ ported MPEG-1 playback; Mult yes	out jacks for external microphiple Monitor support ⁹	no 56K V.90 Mini-PCI
Composite video-out (NTSC/PAL) port	3D Sound w/FM synthesis, S headphones; software-supp yes 56K ³ V90 Mini-PCI	ound Blaster® Pro support, in/ ported MPEG-1 playback; Mult yes 56K V90 Mini-PCI	out jacks for external microphiple Monitor support ⁹ no 56K V.90 Mini-PCI	no
Composite video-out (NTSC/PAL) port Modem PC Card support Preloaded operating system	3D Sound w/FM synthesis, Sheadphones; software-supplyes 56K³ V90 Mini-PCI 2 Type II, 1 Type III, ZV port Windows 98 SE¹0/	ound Blaster® Pro support, in/ ported MPEG-1 playback; Mult yes 56K V.90 Mini-PCI 2 Type II, 1 Type III, ZV port Windows 98 SE/	out jacks for external microphiple Monitor support ⁹ no 56K V.90 Mini-PCI 2 Type II, 1 Type III, ZV port Windows 98 SE/ Windows NT 4.0/	no 56K V.90 Mini-PCI 2 Type II, 1 Type III, ZV port Windows 98 SE/
Composite video-out (NTSC/PAL) port Modem PC Card support Preloaded	3D Sound w/FM synthesis, Sheadphones; software-supplyes 56K³ V90 Mini-PCI 2 Type II, 1 Type III, ZV port Windows 98 SE¹0/ Windows 2000*	sound Blaster® Pro support, in/ ported MPEG-1 playback; Mult yes 56K V.90 Mini-PCI 2 Type II, 1 Type III, ZV port Windows 98 SE/ Windows NT 4.0	fout jacks for external microphiple Monitor support ⁹ no 56K V90 Mini-PCI 2 Type II, 1 Type III, ZV port Windows 98 SE/ Windows NT 4.0/ Windows 2000 Li-lon/3hr	no 56K V90 Mini-PCI 2 Type II, 1 Type III, ZV port Windows 98 SE/ Windows NT 4.0 Li-lon/3hr
Composite video-out (NTSC/PAL) port Modem PC Card support Preloaded operating system Battery type/battery life ¹¹	3D Sound w/FM synthesis, Sheadphones; software-supplyes 56K³ V90 Mini-PCI 2 Type II, 1 Type III, ZV port Windows 98 SE¹0/ Windows 2000*	Jound Blaster® Pro support, in/ ported MPEG-1 playback; Multi yes 56K V.90 Mini-PCI 2 Type II, 1 Type III, ZV port Windows 98 SE/ Windows NT 4.0	fout jacks for external microphiple Monitor support ⁹ no 56K V90 Mini-PCI 2 Type II, 1 Type III, ZV port Windows 98 SE/ Windows NT 4.0/ Windows 2000 Li-lon/3hr	no 56K V90 Mini-PCI 2 Type II, 1 Type III, ZV port Windows 98 SE/ Windows NT 4.0 Li-lon/3hr
Composite video-out (NTSC/PAL) port Modem PC Card support Preloaded operating system Battery type/battery life ¹¹ Standard I/O interfaces	3D Sound w/FM synthesis, Sheadphones; software-supplyes 56K³ V90 Mini-PCI 2 Type II, 1 Type III, ZV port Windows 98 SE¹0/ Windows 2000* Li-lon/3hr serial, parallel, USB, diskette,	Jound Blaster® Pro support, in/ ported MPEG-1 playback; Multi yes 56K V90 Mini-PCI 2 Type II, 1 Type III, ZV port Windows 98 SE/ Windows NT 4.0 Li-lon/3hr keyboard/mouse, docking int	fout jacks for external microphiple Monitor support ⁹ no 56K V.90 Mini-PCI 2 Type II, 1 Type III, ZV port Windows 98 SE/ Windows NT 4.0/ Windows 2000 Li-lon/3hr erface, audio I/O, external mo	no 56K V90 Mini-PCI 2 Type II, 1 Type III, ZV port Windows 98 SE/ Windows NT 4.0 Li-lon/3hr nitor, infrared
Composite video-out (NTSC/PAL) port Modem PC Card support Preloaded operating system Battery type/battery life ¹¹ Standard I/O interfaces Dimensions ⁶	3D Sound w/FM synthesis, Sheadphones; software-suppyes 56K³ V90 Mini-PCI 2 Type II, 1 Type III, ZV port Windows 98 SE¹º/ Windows 2000* Li-lon/3hr serial, parallel, USB, diskette, 1.4"x11.8"x9.4"	sound Blaster® Pro support, in/ ported MPEG-1 playback; Multi yes 56K V.90 Mini-PCI 2 Type II, 1 Type III, ZV port Windows 98 SE/ Windows NT 4.0 Li-lon/3hr keyboard/mouse, docking int	fout jacks for external microphiple Monitor support ⁹ no 56K V90 Mini-PCI 2 Type II, 1 Type III, ZV port Windows 98 SE/ Windows NT 4.0/ Windows 2000 Li-lon/3hr perface, audio I/O, external monitorial monitorial support	no 56K V90 Mini-PCI 2 Type II, 1 Type III, ZV port Windows 98 SE/ Windows NT 4.0 Li-lon/3hr nitor, infrared 1.4"x11.8"x9.4"
Composite video-out (NTSC/PAL) port Modem PC Card support Preloaded operating system Battery type/battery life ¹¹ Standard I/O interfaces Dimensions ⁵ Approx travel weight ⁴	3D Sound w/FM synthesis, Sheadphones; software-suppyes 56K³ V90 Mini-PCI 2 Type II, 1 Type III, ZV port Windows 98 SE¹º/ Windows 2000* Li-lon/3hr serial, parallel, USB, diskette, 1.4"x11.8"x9.4"	sound Blaster® Pro support, in/ ported MPEG-1 playback; Multi yes 56K V.90 Mini-PCI 2 Type II, 1 Type III, ZV port Windows 98 SE/ Windows NT 4.0 Li-lon/3hr keyboard/mouse, docking int	fout jacks for external microphiple Monitor support ⁹ no 56K V90 Mini-PCI 2 Type II, 1 Type III, ZV port Windows 98 SE/ Windows NT 4.0/ Windows 2000 Li-lon/3hr perface, audio I/O, external monitorial monitorial support	no 56K V.90 Mini-PCI 2 Type II, 1 Type III, ZV port Windows 98 SE/ Windows NT 4.0 Li-lon/3hr nitor, infrared 1.4"x11.8"x9.4"

^{*}Planned availability February 2000

ThinkPad options and upgrades

Options by IBM

Options by IBM offers a wide range of upgrades designed for your ThinkPad notebook. For more information visit: www.ibm.com/options (U.S.) www.ibm.com/pc/ca/accessories (CA)

 IBM Memory 	upgrades
--------------------------------	----------

- 256MB SDRAM SO DIMM	33L3069
- 128MB SDRAM SO DIMM	20L0255
- 64MB SDRAM SO DIMM	20L0254

Storage

- 18GB Hard Disk Drive	37L2993
- 12GB Hard Disk Drive	05K9200
- 6GB Hard Disk Drive	05K9199
- UltraslimBay Second	

00N8073

37L1507

02K6504

IBM 340MB microdrive UltraslimBav accessories

Hard Disk Drive Adapter

- Zip 100MB Drive

IRM 56\W I Iltraclim

- UltraslimBay Battery

- 24X-10X CD-ROM Drive	05K9122
- 6X-2X DVD Drive**	05K9169
- SuperDisk (LS-120) Drive	20L1929

· Power when and where you need it

- IDIVI JUVV OILIASIIITI	
AC Adapter	02K6545
- IBM DC Automobile Adapter	02K3381
- Li-Ion Battery	12J2464

Desktop expansion

- Turbo 16/4 Token-Ring

- SelectaBase 600	12J246/
- SelectaDock III12	3547003
- PC Card Enabler ¹²	83H6741
- PC Card Enabler with	

Advanced EtherJet™ Feature 205K4820 NEW! IBM MultiPort USB Hub 00N8215 - Portable Drive Bay 37L1511

Networking

PC Card 2	33L1401
- 10/100 EtherJet CardBus	
Adapter	08L3147
- 10/100 LAN CardBus PC Card	d with

XJack Connector by 3Com 09N9801

05K5336 • IBM V.90 56K PC Card Modem upgrades

- International ISDN Modem	
with GSM Upgradability	02K4282
- International Modem	

with GSM Upgradability

ThinkPad ProvenTM,13 accessories

Complementary to IBM's own options are additional third-party mobile accessories from ThinkPad Proven partners. ThinkPad Proven products are tested, warranted and supported by the manufacturer to ThinkPad Compatibility Standards. For a complete list, see www.ibm.com/pc/ thinkpad/proven.

- PORT, Inc.—ThinkPad 600 SlimLine Case
- Addonics, Inc.—PocketZip and PocketSuperDisk (LS120) drive (USB or Parallel Port connect)
 - CNF, Inc. —20X-15X cardportCD-RW (PC Card connect)
 - Veridicom, Inc.—5th Sense Fingerprint ID device (USB or Parallel Port connect) offered with various software security packages
 - Margi, Inc.—DVD-to-Go[™] DVD playback card that supports the playback of MPEG-2 audio/video and data



SuperDisk (LS-120) UltraslimBay Drive



DVD-ROM UltraslimBay Drive



02K4280

Ultraslim 56W AC Adapter



10/100 EtherJet Ready CardBus with 56K Modem

ThinkPad 600X docking solutions

- Basic cable management with the optional SelectaBase 600
- Optional PC Card Enabler with Advanced EtherJet Feature adds two PC CardBus slots and 10/100 EtherJet capability, plus IBM Wake on LAN® support, to the SelectaBase 600
- Desktop functionality and manageability via the SelectaBase 600 and optional SelectaDock III's 12 two full-size and one halfsize PCI ISA slots, two PC CardBus slots, SCSI-3, one halfhigh industry-standard bay, two USB ports, Plug and Play convenience and Wake on LAN support



SelectaBase 600

SelectaDock III

^{**}Planned availability February 2000

The IBM PC Lifecycle Care program

This program features life cycle management and transition planning tools, support and platforms to help you better manage your company's IT assets. Visit www.ibm.com/pc/ww/solutions/lccare for more information.

IBM SystemXtra

ThinkPad notebooks are available with IBM SystemXtra, 14 the program that brings together the best of IBM to deliver affordable, simple solutions to businesses of all sizes. SystemXtra can provide services, software, training, e-business offerings and lease options to help qualified customers spend little up front and keep their ThinkPad notebooks current. Visit www.ibm.com/pc/us/systemxtra for more information.

IBM warranty service and support

- Three-year limited warranty¹⁵
- International Warranty Service¹⁶
- EasyServ^{TM,17} door-to-door depot repair service via courier
- Toll-free hardware support during the warranty period
- Personalized Web-based support
- Service upgrades are available based on the specific ThinkPad notebook purchased. Visit www.ibm.com/services/pss/ us/spwarmain.html or call your IBM authorized reseller for additional information.

Need more information?

World Wide Web

U.S. www.ibm.com/pc/us/thinkpad canada www.ibm.com/pc/ca/thinkpad

IBM Fax Information Service

1800 IBM-3395

ThinkPad Information Directory Doc #11078

Product and Dealer Location Information

U.S. 1800 426-7255 ext. 4751 Canada 1800 426-2255

Reminders for Year 2000 Readiness

Worldwide www.ibm.com/pc/year2000

Buy Direct

U.S. 1 877 IBM 4PCS

1877 426-4727

- 1 MHz only measures microprocessor internal clock speed, not application performance. Other factors also affect application performance. For the models 5FU/9FU, denotes maximum performance mode; battery optimization mode is 500MHz.
- When referring to hard disk drive capacity, GB equals one billion bytes. Accessible capacity may be less.
- Designed to be capable of receiving data at up to 56Kbps with a compatible phone line and server equipment, and transmitting data up to about 31.2Kbps. Public networks currently limit maximum download speeds to about 53Kbps. Actual speeds depend on many factors and are often less than the maximum possible.
- Includes battery in the system. Travel weight also includes travel cover in UltraslimBay; weight may vary due to vendor components, manufacturing process and options.
- Thickness may vary at certain points on the system.
 Level of support varies by operating system. Operat.
- 6 Level of support varies by operating system. Operating systems not preloaded on the system may not provide full-feature functionality. Please refer to www.pc.ibm.com/support, select a notebook brand, click on "Product Information," "choose your machine type," then click on "Product Limitations."
- Self-Monitoring, Analysis and Reporting Technology.
 Variable read rate Actual playback speed will vary
- and is often less than the maximum possible.

 Multiple Monitor support on the 600X gives you the ability to expand your ThinkPad desktop area by attaching an external monitor or second display, allowing you to view two different applications running simultaneously. External device must support the same maximum resolution and refresh rate as that of the built-in notebook display. Available video memory may limit resolution and/or color depth.
- Individual application support for this feature will vary.

 10 Delivered with Windows 98 SE preloaded on the hard disk drive and a Windows 98 SE Recovery CD in the box. For customers who prefer Windows 95, a Windows 95 Recovery CD is also included for installation of Windows 95. Installation of Windows 95 results in removal of the Windows 98 preload.

- Results obtained using BAPCo (Business Applications Performance Corporation) SYSmark Benchmark Test. Battery life (and recharge times) will vary based on many factors including screen brightness, applications, features, power management, battery conditioning and other customer preferences. Battery life may be less using Windows NT.
- ¹² Requires optional SelectaBase 600.
- ¹³ IBM makes no warranties, either express or implied, regarding the ThinkPad Proven products and services, including but not limited to Year 2000 readiness and any implied warranties of merchantability or fitness for a particular purpose.
- SystemXtra is available to commercial and state and local government customers with valid credit. Program is subject to change without notice. Additional terms, conditions, limitations and fees may apply. IBM Global Financing offerings are made available through IBM Credit Corporation in the U.S. and other IBM subsidiaries and divisions worldwide.
- For terms and conditions or a copy of IBM's Statement of Limited Warranty, call 1800 772-2227 in the U.S. and in Canada, call 1800 426-2255.
- Available in those countries where IBM and IBM resellers sell and service ThinkPad products. Registration required. Service level is based on the standard service for ThinkPad notebooks in that particular country.
- The customer may be asked certain diagnostic questions before a courier is sent. Your ThinkPad purchase includes this depot repair service, available in the U.S. during the warranty period. As an ENERGY STAR Partner, IBM has determined that this product meets the ENERGY STAR guidelines for energy efficiency. ENERGY STAR is a U.S. registered mark.

IBM reserves the right to change specifications and other product information without notice. This publication could include technical inaccuracies or typographical errors. References herein to IBM products and services do not imply that IBM intends to make them available in all countries. IBM PROVIDES THIS



© Copyright IBM Corporation 2000

Produced in the United States of America
1-00

All rights reserved.

PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.

IBM, the e-business logo, EasyServ, EtherJet, LANClient Control Manager, OS/2, SystemXtra, ThinkPad, ThinkPad Proven logo, TrackPoint, UltraCarbon, UM Services and Wake on LAN are trademarks or registered trademarks of International Business Machines Corporation in the United States and/or other countries. Microsoft, Windows, Windows NT and the Microsoft logos are trademarks of Microsoft Corporation. Intel, Pentium and SpeedStep are trademarks of Intel Corporation. Other company, product and service names may be trademarks or service marks of others.

Made in Scotland, Mexico, Japan or assembled in the U.S. of U.S. and non-U.S. components.



Printed on recycled paper containing 10% recovered post-consumer fiber.









